

L Number	Hits	Search Text	DB	Time stamp
8	6369	(385/105,106,112,113,119,115,116,120,121,125/227.32).	USPAT; US-PGPUB	2004/06/25 11:17
9	422	(359/204).ccls.	USPAT; US-PGPUB	2004/06/25 11:15
10	604	(359/204,364).ccls.	USPAT; US-PGPUB	2004/06/25 11:15
11	57	(250/227.32).ccls.	USPAT; US-PGPUB	2004/06/25 11:16
12	6491	(385/31,24,49,33,88).ccls.	USPAT; US-PGPUB	2004/06/25 11:17
13	12846	((385/105,106,112,113,119,115,116,120,121,125/227.32).ccls.) or ((359/204,364).ccls.) or ((250/227.32).ccls.) or	USPAT; US-PGPUB	2004/06/25 11:18
14	8	((385/31,24,49,33,88).ccls.) or ((359/204,364).ccls.) or ((250/227.32).ccls.) or	USPAT; US-PGPUB	2004/06/25 11:21
15	6	((385/31,24,49,33,88).ccls.) and ((laser near diode near array) with (fiber\$ near coupling))	USPAT; US-PGPUB	2004/06/25 11:22

	Type	L #	Hits	Search Text	DBs	Tim Stamp	Comments
1	BRS	L8	6369	(385/105,106,112,113,119,115,116,120,121,123,129-132).ccls.	USPA T; US-P GPUB	2004/06/25 11:17	
2	BRS	L9	422	(359/204).ccls.	USPA T; US-P GPUB	2004/06/25 11:15	
3	BRS	L10	604	(359/204,364).ccls.	USPA T; US-P GPUB	2004/06/25 11:15	
4	BRS	L11	57	(250/227.32).ccls.	USPA T; US-P GPUB	2004/06/25 11:16	
5	BRS	L12	6491	(385/31,24,49,33,88).ccls.	USPA T; US-P GPUB	2004/06/25 11:17	
6	BRS	L13	12846	L8 or L10 or L11 or L12	USPA T; US-P GPUB	2004/06/25 11:18	
7	BRS	L14	8	L13 and ((laser near diode near array) with (optic\$ near waveguide\$))	USPA T; US-P GPUB	2004/06/25 11:21	
8	BRS	L15	6	L13 and ((laser near diode near array) with (fiber\$ near coupling))	USPA T; US-P GPUB	2004/06/25 11:22	

	Error Definition	Er ro rs
1		0
2		0
3		0
4		0
5		0
6		0
7		0
8		0